



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/688,922

10/21/2003

Akira Ezawa

101655.01

3187

25944 7590 07/09/2009

OLIFF & BERRIDGE, PLC
P.O. BOX 320850
ALEXANDRIA, VA 22320-4850

EXAMINER

TRAN, NHAN T

ART UNIT

PAPER NUMBER

2622

MAIL DATE

DELIVERY MODE

07/09/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

10688922	10/21/03		
EZAWA ET AL.	101655.01		

OLIFF & BERRIDGE, PLC
P.O. BOX 320850
ALEXANDRIA, VA 22320-4850

EXAMINER

NHAN T. TRAN

ART UNIT	PAPER
----------	-------

2622	20090706
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This letter is just to response to the duplicated request under 37 C.F.R 1.48(b) filed 6/16/2009 to delete inventor name Keiji OSAWA.

In view of the papers filed on 6/16/2009, correction of inventorship Under 37 CFR 1.48(b) is sufficient. The inventorship of this nonprovisional application has been changed by the deletion of Keiji OSAWA. The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship as corrected.

/NHAN T. TRAN/
Primary Examiner, Art Unit 2622